



## Care for the air you breathe

**IAQ Assessment**  
**Air Purification**  
**Kitchen Exhaust**  
**Ambient Scenting**  
**Odor Control**  
**Mold Removal**  
**Misting Systems**

**[www.aom.sg](http://www.aom.sg)**



Air & Odor Management (AOM) is a fully integrated air quality solution company headquartered in Singapore. Our services promote and encompass all aspects of clean air living, from indoor air quality assessment and odor control, to air purifying, mold and microbe remediation and ambient scenting.

## Air Purification



Smoke



Dust



Haze



Odor



Pollen



Bacteria



Virus



Mold



VOCs



CO

### Air Purifier Residential Commercial Industrial



AIRION  
SA -9500



DAIKIN  
MC70LBFVM



AOM  
AC -P800R



AAF  
PurAir 200/400

### AOM AC Series Electronic Air Cleaner



AC -1000R



AC -680R



AC -705DR



FC02 (ACMV)

### Air Treatment Products



MYAIR  
Dehumidifier



DEFENDAIR  
HEPA 500



MYAIR  
Car Ionizer



TCELL  
Air Freshener

### Oxyfarm Oxygen Generator



SA 2500



SA -2500 (Vending)



SA -13001

### ECOLO Automatic Misting System




Misting System with nozzles



# SCRUBBOX® Kitchen Exhaust Electrostatic Air Cleaner



Scrubbox ESP +  
UVC Irradiation



Kitchen Exhaust Electrostatic Air Cleaner  
(Self Contained Free Standing Unit)

Specification	EAN 150	EAN 200	EAN 300	EAN 400	EAN 600
Scrubbox Electrostatic Air Cleaner					
Air Volume	2550 CMH	3400 CMH	5100 CMH	6800 CMH	10200 CMH
Dimension (L x W x H) mm	610 x 491 x 425	690 x 550 x 650	930 x 530 x 650	1170 x 550 x 650	1640 x 550 x 650
Weight	38 kg	60 kg	75 kg	90 kg	120 kg
Power Supply	220 ~ 240V	220 ~ 240V	220 ~ 240V	220 ~ 240V	220 ~ 240V
No. of Cells	1 pc	1 pc	1 pc	2 pc	3 pc
Added Feature	External Heat Exchanger	External Heat Exchanger	External Heat Exchanger	External Heat Exchanger	External Heat Exchanger
Cabinet	1.5mm steel powder coated	1.5mm steel powder coated	1.5mm steel powder coated	1.5mm steel powder coated	1.5mm steel powder coated
Static Pressure	100 Pa	100 Pa	100 Pa	100 Pa	100 Pa
Power Consumption	70 ~ 140 Watts	70 ~ 140 Watts	70 ~ 140 Watts	70 ~ 140 Watts	70 ~ 140 Watts
Safety Feature	Power cut-off when panel door is opened	Power cut-off when panel door is opened	Power cut-off when panel door is opened	Power cut-off when panel door is opened	Power cut-off when panel door is opened
Efficiency	95%	95%	95%	95%	95%
Certification	CE & TUV	CE & TUV	CE & TUV	CE & TUV	CE & TUV



# Ambient Scenting

**SCENT::LINQ™**  
PROFESSIONAL SCENT SOLUTIONS

## Get in touch with Scents

*Reach out to customers through their noses*

Of all the senses, the sense of smell is the most powerful trigger of memory. Hoteliers, retailers and other businesses seeking to provide a positive experience that clients will recall and repeat should consider using scents to enhance indoor air quality. The use of a signature scent to extend the brand image is a favourite application of the sophisticated marketer.

Scentlinq is setting the standard in large-scale Ambient Scenting. State-of-the-art fragrance creation and its advanced scent diffusion systems combine to create and maintain a safe and attractive scent ambience in any space.

- Micro-Dry Air Technology
- Multi-Cycle programming
- Stainless steel construction
- Low power consumption
- Zero Maintenance
- Safe, natural & hazard-free
- ★ Scent marketing
- ★ Brand recognition
- ★ Aroma therapy
- ★ Superior scent experience
- ★ Sensorial lifestyle
- ★ Odor remediation



MDX250 Portable

MDW250 Wall-Mounted



HVAC XTRA

Micro-Diffusion  
Technology



## Premium Scent Collection



Citrus



Lemon Verbena



Vanilla Grape



Ginger Blossom



Petal Dreams



Lavender



Aloe & Clove



Tea & Thyme



Sandal Wood



Rain Forest



Clean Air



Red Sequoia



Green Tea



Lemongrass



Hot Waffle Cone



Fresh Sensation



Green Mango



Linden Blossom



Lily



Cranberries



Fresh vegs

# Odor Control Solutions





**Environmentally responsible odor control systems, service & solutions.**

- Odor Neutralizers
- Reactive Chemistries
- Bio-Stimulants & Additives
- Atomizing & Dispensing Equipment



**WASTEWATER**



**SOLID WASTE**



**COMMERCIAL**

Air & Odor Management (AOM) is the master distributor and service provider for ECOLO, a world leader in Odor Control Technology.

With Ecolo's wide range of technologies and products, we provide customized solutions to odor problems in commercial premises, and in industrial and wastewater facilities.

Our products are in two categories: Equipment, and Formulations.

In the first category, Equipment, we offer a variety of solutions to fit your needs, including vapor, atomizing, spray, and dosing systems. We will recommend technologies based on site characteristics, and the types of odors that need to be treated.

Under Formulations, we recommend AirSolution and BioStreme, which are natural odor reactants and neutralizers.

These are blended from essential oils derived from plant extracts. They are certified safe by leading laboratories and government health departments worldwide.



Odor Control System



Odor Buster



Misting System



AirPro Misting System



Air Solution



Foam Station & Applicator



BioStreme 111F Foamer



BioStreme 111F



Power Fogger



# Mold/Microbe Remediation



## What is Gelair?

Gelair is the simplest way to improve indoor air quality by killing the mold bacteria and viruses that build up in your air-conditioning system.

It is a gel based product that delivers a patented tea tree oil vapor throughout your air conditioning system. Tea tree oil is 100% natural essential oil, known for centuries to be a biocide that kills mold, bacteria and viruses.



## How does Gelair work

Open the packaging and place a Gelair block anywhere in your air-conditioning system where air blows over the block. Common places of installation are next to cooling coil of FCU, in the AHU or just behind the return air grilles. There are various sizes to accommodate any system capacity (eg. the more air going through your system, the larger size block you require). Gelair blocks treat your system and occupant zones for one month. Over this period, the block will reduce in size as the vapor is released from the gel. After one month, the block should be replaced.



## Why Do I need Gelair?

Asian buildings are highly susceptible to mold and bacteria build up for numerous reasons.

1. Humid conditions: We continuously introduce fresh air into our air conditioned spaces bringing with it warmth and moisture. This air causes condensation giving perfect conditions for bacteria and mold to grow.
2. Many people in a confined space.
3. Old HVAC systems.

This is why we often get “musty” smells and why we see mold growing throughout the HVAC system and on diffusers.

## How does Gelair compare to other products?

1. No energy consumption as it uses the fan power of your air-con system to disperse the vapor.
2. A mobile product. It goes to wherever the bacteria are.
3. A green product. (no energy consumption and made of bio-degradable gel).  
Gelair is registered on the Singapore Green Building website.
4. An effective product with perfect applications in the built environment and marine industries. (offshore rigging, commercial shipping and yachting).
5. The only product that treats the entire HVAC system.

Treatment Option	Air	AHU & Condensate Tray	Ducts	Diffusers & Occupant Zone
<b>GELAIR</b>	✓	✓	✓	✓
<b>UV Technology</b>	✓	✓	✗	✗
<b>Silver Ion Filters</b>	✓	✗	✗	✗



## Gelair Solution

Gelair is also available in a solution form. This is used to clean cooling coils and surfaces. Gelair solution acts as a universal cleanser but has the additional benefit of sterilizing surfaces and giving long lasting protection from the growth of mold, bacteria and viruses.



The mold removal experts



Mold inspection  
Air quality testing  
Thermal imaging  
Mold removal  
Bio-fogging  
Bio-cleaning

[www.bustmold.sg](http://www.bustmold.sg)





## IT'S NOT MOLD UNTIL IT'S TESTED

During a Mold Busters mold inspection, the inspector will first perform a visual analysis of the area in question for common indicators of mold. During this visual inspection, he will take a temperature and relative humidity reading as well as note any musty or earthy odors, black spots, water damage, leaks etc. He will also try to locate the source of the mold growth. Often, a mold inspection reveals high humidity and moisture levels in homes and dampness, flooding, leaks and poor air circulation and inadequate ventilation.

The next stage of the mold inspection involves an infrared camera to examine behind walls and tight spaces for temperature differences that would indicate a water intrusion problem. In the final stages of the mold inspection, the mold inspector may, at the request of the client, take an air quality test or a surface sample to test for the presence of mold.

An air quality test is very helpful as it shows the exact types of mold present in the space as well as the concentrations in which they are found. Typically, after a mold inspection, Mold Busters inspectors will send a full report of their findings within 7 working days after the inspection. Clients can then use the mold inspection results to plan for a proper mold remediation.





#### Air & Odor Management Pte Ltd

60 Ubi Crescent #01-04 Ubi Techpark Singapore 408569 T 65-62863333 F 65-67477992 sales@aom.sg www.aom.sg

#### Air & Odor Management Sdn Bhd

10-1A Jalan Puteri 2/3 Bandar Puteri 47100 Puchong Selangor Malaysia T 603-80514808/80524808 F 603-80514909 sales@aom.my www.aom.my

#### Air & Odor Management Philippines Inc

G/F Manta Bldg 155 Panay Ave, South Triangle Quezon City, Philippines T 632-3556489 F 632-7090560 sales@aom.ph www.aom.ph

#### Air & Odor Management Australia

22/54 Beach Street Kogarah NSW 2217 T 61-1300-903788 F 61-1300-904088 info@aomaus.com.au www.aomaus.com.au

#### AOM Elektrostatic Filter Turkey Distributor

Ayşe Cavus cad. Aydin Sok. Billur Apt. No. 21/1 Suadiye/Istanbul T 90-2163614326 F 90-2163614376 zuhalkoca@zenproje.com www.aomturkiye.com

#### Air & Odor Management Lanka (Pvt) Ltd

65, Iriyawetiya Road, Kiribathgoda, WP11600, Sri Lanka T 94-112918811 F 94-112910190 aomlanka@gmail.com www.aomlanka.com